



manooi DEEP SKY ORIENT



VOILE®



SILK



DEEP SKY



manooi Deep Sky Orient



DEEP SKY

manooi Deep Sky Orient



manooi Deep Sky Orient



manooi Deep Sky Orient



manooi Deep Sky Orient



manooi Deep Sky Orient



Apostol u. 13/B. H-1023 Budapest, Hungary

























phone: +36 1 33 626 90

fax: +36 1 33 626 99

info@manooi.com

www.facebook.com/Manooi

www.manooi.com

L	Length		COLLECTION:		Personal Universe					
W	Width		Type:	suspended chandelier						
H	Height		Structure:	Corian, polished stainless steel						
Ø	Diameter		Outside:	black / white						
			Inside:	bronze mirror						
		Trimmings:	full-cut crystal octagons and pendants in various sizes and forms							
		Pinnings:	nickel plated rings							
		Suspension:	galvanized bowden - Ø 1,5 mm							
		Bulb:	max 60 W - G9 halogen							
		Cable:	textile (black / white) - 250 cm							
		Ceiling Rose:	polished stainless steel							
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains									
	110 V									
	230 V									
	Product conforms to European Community Directive									
	Product conforms to GOST R									
	Fixable to ceiling									
	Fixable to wall									
	Table lamp									
	E14 Light bulb									
	G9 Halogen									
	G4 Halogen									
	LED									
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.									
	Lights are fixable to fiery surface directly									
			MODEL		DIMENSIONS cm		PACKAGE cm			
			L	W	H	kg	L	W	H	Σ kg
Deep Sky			160	48	40	62	175	63	70	90
Deep Sky			160	80	40	75	175	95	70	108
Deep Sky			120	100	40	73	135	115	70	104
Deep Sky			160	100	40	87	175	115	70	127
Deep Sky			160	120	40	96	175	135	70	137
Deep Sky			200	120	40	111	215	135	70	160
      							IF NOT MARKED OTHERWISE: safety classification IP20 for all fittings units in cm, kg, all products supplied with voltage 110V upon request illustrations and descriptions for informative purposes only			