


OMONOUI DEEP SKY



















Manaa Deep Sky 160/120/40








































manaai Deep Sky 160/80/40











| L | Length | | COLLECTION: Personal Universe | | | | | | | | | |
|----------|--|--------------------------------|--|---|------------------------------|--------------------------|-------------------------------|----------------------------------|------------------------------|-----------------------|--|--|
| W | Width | | Type: suspended chandelier Structure: MDF, polished stainless steel Outside: painted (black / white) Inside: wood veneer (oak / wenge tinted oak / walnut) Trimmings: black glass / bronze mirror / mirror | | | | | | | | | |
| Н | Height | | Pinnings | | full-cut cry nickel plate | vstal octago ed rings | ns and pen | | ious sizes a | nd forms | | |
| Ø | Diameter | | Bulb: Cable: | ture: MDF, polished stainless steel sidede: painted (black / white) le: wood veneer (oak / wenge tinted oak / walnut) black glass / bronze mirror / mirror ings: full-cut crystal octagons and pendants in various sizes and forms nickel plated rings galvanized bowden - Ø 1,5 mm max 60 W - G9 halogen le: textile (black / white) - 250 cm polished stainless steel DIMENSIONS cm PACKAGE cm W H kg L W H | | | | | | | | |
| + | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains | | | | | | | | | | | |
| ~110V | 110 V | MODEL | IMENS | ions (| cm | PACKAGE cm | | | | | | |
| ~230V | 230 V | | L | W | Н | kg | L | W | Н | Σ kg | | |
| CE | Product conforms to European Community Directive | Deep Sky 80/80/28 | 80 | 80 | 28 | 48 | 95 | 95 | 58 | 68 | | |
| Po | Product conforms to GOST R | Deep Sky 100/100/28 | 100 | 100 | 28 | 52 | 115 | 115 | 58 | 78 | | |
| † | Fixable to ceiling | Deep Sky 120/120/28 | 120 | 120 | 28 | 64 | 135 | 135 | 58 | 95 | | |
| → | Fixable to wall | Deep Sky 80/80/40 | 80 | 80 | 40 | 54 | 95 | 95 | 70 | 76 | | |
| 1 | Table lamp | 1 / | | 100 | 40 | (0 | 115 | 115 | 70 | Q 5 | | |
| | E14 Light bulb | Deep Sky 100/100/40 | 100 | 100 | 40 | 60 | 113 | 115 | /0 | 0.0 | | |
| G9 | G9 Halogen | Deep Sky 120/120/40 | 120 | 120 | 40 | 73 | 135 | 135 | 70 | 107 | | |
| G4 | G4 Halogen | | | | | | | | | | | |
| LED | LED | | | | | | | | | | | |
| | Only basic insulation, accesible conductors are earthed. Earthing: compulsory. | ~110V ~230V C E P 1 G 9 | | | | | cm, kg, | P20 for all fitt | | | | |
| F | Lights are fixable to fiery surface directly | | L | | W | all produ illustrati | ucts supplied ons and desc | with voltage criptions for in | 110V upon re formative pu | equest rposes only | | |

| L | Length | | COLLECTION: Personal Universe | | | | | | | | | |
|----------|--|--------------------------------|--|---|--------------|---------------------------|-------------------------------|---------------------------------|------------------------------|-----------------------|--|--|
| W | Width | | Type: suspended chandelier Structure: MDF, polished stainless steel Outside: painted (black / white) Inside: wood veneer (oak / wenge tinted oak / walnut) Trimmings: black glass / bronze mirror / mirror Pinnings: full-cut crystal octagons and pendants in various sizes and forms | | | | | | | | | |
| Н | Height | | Suspens | | nickel plate | ed rings | | dants in var | ious sizes a | na iorms | | |
| Ø | Diameter | | Bulb: Cable: | side: painted (black / white) de: wood veneer (oak / wenge tinted oak / walnut) minings: black glass / bronze mirror / mirror full-cut crystal octagons and pendants in various sizes and forms nickel plated rings galvanized bowden - Ø 1,5 mm or max 60 W - G9 halogen le: textile (black / white) - 250 cm polished stainless steel DIMENSIONS cm PACKAGE cm W H kg L W H ∑ kg 0 48 28 55 175 63 58 82 0 80 28 67 175 95 58 97 0 100 28 65 135 115 58 111 | | | | | | | | |
| + | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains | | | | | | | | | | | |
| ~110V | 110 V | MODEL | D | IMENS | ions (| cm | PACKAGE cm | | | | | |
| ~230V | 230 V | | L | W | Н | kg | L | W | Н | Σ kg | | |
| CE | Product conforms to European Community Directive | Deep Sky 160/48/28 | 160 | 48 | 28 | 55 | 175 | 63 | 58 | 82 | | |
| Po | Product conforms to GOST R | Deep Sky 160/80/28 | 160 | 80 | 28 | 67 | 175 | 95 | 58 | 97 | | |
| T | Fixable to ceiling | Deep Sky 120/100/28 | 120 | 100 | 28 | 65 | 135 | 115 | 58 | 94 | | |
| → | Fixable to wall | Deep Sky 160/100/28 | 160 | 100 | 28 | 78 | 175 | 115 | 58 | 111 | | |
| | Table lamp | 1 / | | | | | | | | 100 | | |
| | E14 Light bulb | Deep Sky 160/120/28 | 160 | 120 | 28 | 86 | 1/5 | 135 | 58 | 122 | | |
| G9 | G9 Halogen | Deep Sky 200/120/28 | 200 | 120 | 28 | 99 | 215 | 135 | 58 | 4 | | |
| G4 | G4 Halogen | | | | | | | | | | | |
| LED | LED | | | | | | | | | | | |
| | Only basic insulation, accesible conductors are earthed. Earthing: compulsory. | ~110V ~230V C E P 1 G 9 | | | | | | 20 for all fitt | | | | |
| F | Lights are fixable to fiery surface directly | | | | L W | all produ illustration | ucts supplied ons and desc | with voltage riptions for in | 110V upon re formative pu | equest rposes only | | |

| L | Length | | COLLECTION: Personal Universe | | | | | | | | | |
|---------------------------------------|--|----------------------------------|--|---|------------------------------|---------------------------|-------------------------------|---------------------------------|------------------------------|-----------------------|--|--|
| W | Width | | Type: suspended chandelier Structure: MDF, polished stainless steel Outside: painted (black / white) Inside: wood veneer (oak / wenge tinted oak / walnut) Trimmings: black glass / bronze mirror / mirror | | | | | | | | | |
| Н | Height | | Pinnings | | full-cut cry nickel plate | stal octago ed rings | ns and pen | | ious sizes a | nd forms | | |
| Ø | Diameter | | Bulb: Cable: Ceiling R | ure: MDF, polished stainless steel de: painted (black / white) wood veneer (oak / wenge tinted oak / walnut) black glass / bronze mirror / mirror gs: full-cut crystal octagons and pendants in various sizes and forms nickel plated rings galvanized bowden - Ø 1.5 mm max 60 W - G9 halogen textile (black / white) - 250 cm polished stainless steel DIMENSIONS cm PACKAGE cm W H kg L W H ∑ kg A 48 40 62 175 63 70 90 B 80 40 75 175 95 70 108 D 100 40 73 135 115 70 104 D 100 40 87 175 115 70 127 D 120 40 96 175 135 70 137 | | | | | | | | |
| + | Chandeliers with + sign: the top of the chandelier is also covered with crystal chains | | | | | | | | | | | |
| ~110V | 110 V | MODEL | IMENS | IONS (| cm | PACKAGE.cm | | | | | | |
| ~230V | 230 V | | L | W | Н | kg | L | W | Н | Σ kg | | |
| CE | Product conforms to European Community Directive | Deep Sky 160/48/40 | 160 | 48 | 40 | 62 | 175 | 63 | 70 | 90 | | |
| Po | Product conforms to GOST R | Deep Sky 160/80/40 | 160 | 80 | 40 | 75 | 175 | 95 | 70 | 108 | | |
| T T T T T T T T T T T T T T T T T T T | Fixable to ceiling | Deep Sky 120/100/40 | 120 | 100 | 40 | 73 | 135 | 115 | 70 | 104 | | |
| → | Fixable to wall | Deep Sky 160/100/40 | 160 | 100 | 40 | 87 | 175 | 115 | 70 | 127 | | |
| ↓ | Table lamp | 1 / | | 120 | 10 | 0.4 | 175 | 125 | 70 | 127 | | |
| | E14 Light bulb | Deep Sky 160/120/40 | 160 | 120 | 40 | 96 | 1/5 | 135 | /0 | 13/ | | |
| G9 | G9 Halogen | Deep Sky 200/120/40 | 200 | 120 | 40 | 111 | 215 | 135 | 70 | 160 | | |
| G4 | G4 Halogen | | | | | | | | | | | |
| LED | LED | | | | | | | | | | | |
| | Only basic insulation, accesible conductors are earthed. Earthing: compulsory. | ~110V ~230V C E P 1 1 G 9 | | | | | | P20 for all fitt | | | | |
| F | Lights are fixable to fiery surface directly | | L | | L W | all produ illustration | ucts supplied ons and desc | with voltage riptions for in | 110V upon re formative pu | equest rposes only | | |